in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : PETAMO GHY 133 N (H)

Article-No. : 094148

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Grease

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München

Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333

info@klueber.com

E-mail address of person : mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact : Eksino d.o.o.

Prote Smiljanića 4 15000 Šabac Serbia (Srbija)

Phone: +381 15 343 301 Fax: +381 15 343 288 Mail: info@eksino.rs www.eksino.rs

1.4 Emergency telephone number

Emergency telephone num-

ber

National Poison Control Center VMA, Belgrade

011 266 11 22, 266 27 55 (24 hrs.)

+49 (0) 89 7876 700 (24/7 service)

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (according to CLP/GHS)

Long-term (chronic) aquatic hazard, Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (according to CLP/GHS)

Hazard pictograms

Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

**Additional Labelling** 

EUH208 Contains Condensation products of fatty acids, tall oil with 2-amino-2-

ethylpropanediolCondensation products of fatty acids, tall oil with 2-amino-2-

ethylpropanediol; May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients** 

3.2 Mixtures

Chemical nature : Mineral oil.

Synthetic hydrocarbon oil

polyurea

Components

Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.	(according to	tration limit	(% w/w)



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

	Index-No. Registration number	CLP/GHS)	M-Factor Notes	
reaction product of diphenylme-thanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097)	430-980-9	Aquatic Chronic4; H413		>= 2,5 - < 10
Phenol, isopropylated, phosphate (3:1)	68937-41-7 273-066-3	Repr.2; H361 STOT RE2; H373 Aquatic Chronic1; H410	M-Factor: /10	>= 1 - < 2,5
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	946-010-7	Skin Sens.1; H317		>= 0,1 - < 1
triphenyl phosphate	115-86-6 204-112-2	Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 1/1	>= 0,25 - < 1

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic appearance

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects Value	
residual oils (petrole- um), hydrotreated	Workers	Inhalation	Long-term systemic 2,7 mg/m3 effects	
	Workers	Inhalation	Acute systemic effects	5,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
O,O,O-triphenyl phosphorothioate	Workers	Inhalation	Long-term systemic effects	1,39 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,4 mg/kg
Phenol, isopropylated, phosphate (3:1)	Workers	Inhalation	Long-term systemic effects	0,145 mg/m3
	Workers	Inhalation	Acute systemic effects	700 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,416 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	2000 mg/kg bw/day
	Workers	Skin contact	Acute local effects	16 mg/cm2
Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol	Workers	Dermal	Long-term systemic effects	8,33 mg/kg bw/day
triphenyl phosphate	Workers	Inhalation	Long-term systemic effects	5,2 mg/m3
	Workers	Skin contact	Long-term systemic	5,55 mg/kg

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

effects bw/day

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
O,O,O-triphenyl phosphorothio- ate	Sewage treatment plant	1 mg/l
	Soil	2,37 mg/l
Phenol, isopropylated, phosphate (3:1)	Fresh water	0 mg/l
	Intermittent use/release	0,015 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	100 mg/kg
	Fresh water sediment	0,185 mg/kg dry weight (d.w.)
	Marine sediment	0,018 mg/kg dry weight (d.w.)
	Soil	2,5 mg/kg dry weight (d.w.)
	Oral	1,85 mg/kg
triphenyl phosphate	Fresh water	0,004 mg/l
	Intermittent use/release	0,003 mg/l
	Marine water	0,0004 mg/l
	Sewage treatment plant	5 mg/l
	Fresh water sediment	1,103 mg/kg dry weight (d.w.)
	Marine sediment	0,11 mg/kg dry weight (d.w.)
	Soil	0,218 mg/kg dry weight (d.w.)
	Oral	16,667 mg/kg

## 8.2 Exposure controls

## **Engineering measures**

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

Respiratory protection : Not required; except in case of aerosol formation.



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : brown

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,900 (20 °C)

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: Date of first issue: 17.11.2020 11.10.2021 11.10.2021 3.2

> Reference substance: Water The value is calculated

0,90 g/cm3

(20 °C)

Bulk density No data available

Solubility(ies)

Density

Water solubility insoluble

No data available Solubility in other solvents

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

No data available Viscosity, dynamic

Viscosity, kinematic Not applicable

Explosive properties Not explosive

: No data available Oxidizing properties

9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

## Phenol, isopropylated, phosphate (3:1):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

GLP: no



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

triphenyl phosphate:

Acute oral toxicity : LD50 (Rat): > 20.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 200 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

Method: OECD Test Guideline 402

## Skin corrosion/irritation

Product:

Remarks : This information is not available.

#### Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Rabbit Exposure time : 72 h

Assessment : No skin irritation Result : No skin irritation

GLP : no



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : reconstructed human epidermis (RhE)

Assessment : No skin irritation Result : No skin irritation

triphenyl phosphate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexyl-

amine (1:1.58:0.32:0.097):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Phenol, isopropylated, phosphate (3:1):

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

GLP : no

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

triphenyl phosphate:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

#### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

## **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Test Type : Maximisation Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

# Phenol, isopropylated, phosphate (3:1):

Species : Mouse

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 429

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Assessment : May cause sensitisation by skin contact. Result : May cause sensitisation by skin contact.

triphenyl phosphate:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

# Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

## **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells Method: OECD Test Guideline 473

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

triphenyl phosphate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

triphenyl phosphate:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal develop: : Remarks: No data available

a brand of
FREUDENBERG

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

ment

#### **Components:**

## Phenol, isopropylated, phosphate (3:1):

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments. Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

#### Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Reproductive toxicity - As-

sessment

: Animal testing did not show any effects on fertility.

#### triphenyl phosphate:

Effects on foetal develop-

ment

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: >= 200 mg/kg body weight

Teratogenicity: NOAEL: >= 200 mg/kg body weight

Developmental Toxicity: NOAEL: >= 200 mg/kg body weight Embryo-foetal toxicity: NOAEL: >= 200 mg/kg body weight

Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic develop-

ment were detected.

Reproductive toxicity - As-

sessment

No toxicity to reproduction

No effects on or via lactation

#### STOT - single exposure

#### **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

## STOT - repeated exposure

#### **Components:**

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Phenol, isopropylated, phosphate (3:1):



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 11.10.2021 Date of first issue: 17.11.2020 11.10.2021 3.2

Exposure routes Ingestion

**Target Organs** ovaries, Testes, Liver, Adrenal gland

Assessment The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Repeated dose toxicity

**Product:** 

Remarks This information is not available.

Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

**Species** Rat

**NOAEL** 1.000 mg/kg

**Application Route** Oral

**OECD Test Guideline 407** Method

triphenyl phosphate:

**Species** Rat NOAEL 105 mg/kg **Application Route** Oral

Method

**OECD Test Guideline 408** 

**Species** Rabbit **NOAEL** : 1.000 mg/kg **Application Route** Dermal

**Aspiration toxicity** 

**Product:** 

This information is not available.

**Components:** 

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

No aspiration toxicity classification

Phenol, isopropylated, phosphate (3:1):

No aspiration toxicity classification

triphenyl phosphate:

No aspiration toxicity classification



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

**Further information** 

**Product:** 

Remarks : Information given is based on data on the components and

the toxicology of similar products.

**SECTION 12: Ecological information** 

12.1 Toxicity

**Product:** 

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms :

Remarks: No data available

Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

Phenol, isopropylated, phosphate (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l

Exposure time: 96 h Test Type: static test

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,44 mg/l

Exposure time: 48 h Test Type: semi-static test

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 2,5

mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: Information given is based on tests on the mixture

itself.

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,0031 mg/l Exposure time: 33 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Method: OECD Test Guideline 211

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0415 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

10

triphenyl phosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,36 mg/l

Exposure time: 48 h Test Type: static test

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,25

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

EL10 (Pseudokirchneriella subcapitata (green algae)): 0,25

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to microorganisms : NOEC (activated sludge): 100 mg/l

Exposure time: 28 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,037 mg/l Exposure time: 30 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,254 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

# Components:

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexylamine (1:1.58:0.32:0.097):

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not readily biodegradable.

Biodegradation: 23,9 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

VersionRevision Date:Date of last issue: 08.09.2021Print Date:3.211.10.2021Date of first issue: 17.11.202011.10.2021

Phenol, isopropylated, phosphate (3:1):

Biodegradability : Result: Not rapidly biodegradable

Biodegradation: 17,9 % Exposure time: 28 d

Method: OECD Test Guideline 301D

GLP: yes

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Biodegradability : Result: Not rapidly biodegradable

triphenyl phosphate:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 83 - 94 %

Exposure time: 28 d

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

**Components:** 

reaction product of diphenylmethanediisocyanate, octylamine, oleylamine and cyclohexyl-

amine (1:1.58:0.32:0.097):

:  $\log Pow: > 6 (20 °C)$ 

octanol/water Method: OECD Test Guideline 117

Phenol, isopropylated, phosphate (3:1):

Partition coefficient: n-

Partition coefficient: n-

log Pow: 4,92 - 5,17 (25 °C)

octanol/water

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol:

Bioaccumulation : Bioconcentration factor (BCF): < 100

Partition coefficient: n-

octanol/water

log Pow: 9,01

triphenyl phosphate:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)

a brand of
FREUDENBERG

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Exposure time: 18 d Concentration: 0,01 mg/l

Bioconcentration factor (BCF): 144

Partition coefficient: n-

octanol/water

: log Pow: 4,6 (20 °C)

## 12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

#### Components:

Phenol, isopropylated, phosphate (3:1):

Assessment : Non-classified PBT substance. Non-classified vPvB sub-

stance.

#### 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

: Toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Waste Code : used product, unused product

12 01 12\*, spent waxes and fats

uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

## **SECTION 14: Transport information**

#### 14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

## 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID.

N.O.S.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

**IATA** : Environmentally hazardous substance, solid, n.o.s.

(Triaryl Phosphate Isopropylated, triphenyl phosphate)

## 14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

#### 14.4 Packing group



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

**ADN** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**ADR** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**RID** 

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

adr

Environmentally hazardous : yes

**RID** 

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Rule book on Bans and Restrictions of Production, Plac: Not applicable ing on the Market and Use of Chemicals (State Gazette, Nr. 90/2013, 25/2015, 2/2016, 44/2017, 36/2018, 9/2020)(Annex 1)

#### Other regulations:

Rulebook on the content of a safety data sheet (Official Gazette No. 100/11)

Rulebook on classification, packaging, labeling and advertising of chemicals and products in accordance with UN Globally Harmonized System of Classification and Labelling ("Službeni glasnik RS", broj 105/13, 52/2017 i 21/2019).

Law on chemicals ("Off. gazette RS" No. 36/09, 88/10, 92/11, 93/12 and 25/15) Law on waste management ("Off. Gazette RS" No. 36/09, 88/10, 14/16, 95/18)

Rulebook on categories, testing and classification of waste ("Off. gazette RS" No. 56/10)

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H317 : May cause an allergic skin reaction.

H361 : Suspected of damaging fertility or the unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

H413 : May cause long lasting harmful effects to aquatic life.



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

CLP/GHS : (REGULATION (EC) No 1272/2008); Rulebook on classifica-

tion, packaging, labeling and advertising of chemicals and products in accordance with UN Globally Harmonized System of Classification and Labelling ("Službeni glasnik RS", broj

105/13, 52/2017 i 21/2019).

Classification of the mixture: Classification procedure:

Aquatic Chronic 2 H411 Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particu-



in accordance with the Rulebook of Safety Data Sheet (Official Gazette No. 100/11) - RS



PETAMO GHY 133 N (H)

Version Revision Date: Date of last issue: 08.09.2021 Print Date: 3.2 11.10.2021 Date of first issue: 17.11.2020 11.10.2021

lar public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.